

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide  
searching bookmarks sets +server +bookmarks +sets clients t**SEARCH**

THE ACM DIGITAL LIBRARY

Advanced Search

[? Search](#)  
[Tips](#)

Enter words, phrases or names below. Surround phrases or full names with double quotation marks.

Search within Results: 32 found

searching bookmarks sets +server  
+bookmarks +sets clients bookmarks  
sets -matching +highlighting results -  
URL[Clear result set](#)**SEARCH****Desired Results:**must have **all** of the words or phrasesmust have **any** of the words or phrasesmust have **none** of the words or phrases**Name or Affiliation:**Authored ☐ by: ☒ all ☐ any ☐ noneEdited ☐ by: ☒ all ☐ any ☐ noneReviewed ☐ by: ☒ all ☐ any ☐ none**Only search in:\***☐ Title ☐ Abstract ☐ Review ☒ All Information**SEARCH**

\*Searches will be performed on all available information, including full text where available, unless specified above.

ISBN / ISSN: ☒ Exact ☐ ExpandDOI: ☒ Exact ☐ Expand**SEARCH****Published:**By: ☒ all ☐ any ☐ noneIn: ☒ all ☐ any ☐ none

Since:

Month

Year

Before:

Month

Year

As: Any type of publication ☐**Conference Proceeding:**

Sponsored By:

Conference Location:

Conference Year:

yyyy

**SEARCH****Classification: (CCS)** ☐ **Primary Only**Classified as: ☒ all ☐ any ☐ noneSubject Descriptor: ☒ all ☐ any ☐ noneKeyword Assigned: ☒ all ☐ any ☐ none**Results must have accessible:**☐ Full Text ☐ Abstract ☐ Review**SEARCH**

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

searching bookmaks sets +server +bookmarks +sets clients b



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction s](#)

Terms used

**[searching](#) [bookmaks](#) [sets](#) [server](#) [bookmarks](#) [sets](#) [clients](#) [bookmarks](#) [sets](#) [matching](#) [highlighting](#) [results](#) [UF](#)**

Sort results by relevance ☐

Display results expanded form ☐

☒ [Save results to a Binder](#)

☐ [Search Tips](#)

☐ [Open results in a new window](#)

[Try an Advanced Search](#)

[Try this search in The ACM Gui](#)

Results 1 - 20 of 32

Result page: **1** [2](#) [next](#)

Relevance scale

**1** [User interface directions for the Web](#)



Jakob Nielsen

January 1999 **Communications of the ACM**, Volume 42 Issue 1

**Publisher:** ACM Press

Full text available: [pdf\(421.52 KB\)](#) [html\(35.34 KB\)](#)

Additional Information: [full citation](#), [references](#), [citing](#), [index terms](#), [review](#)

**2** [Research sessions: Research 12: Linking & search: Efficient and decentralized PageRank approximation in a peer-to-peer web search network](#)

Josiane Xavier Parreira, Debora Donato, Sebastian Michel, Gerhard Weikum

September 2006 **Proceedings of the 32nd international conference on Very large data bases: Volume 32 VLDB'2006**

**Publisher:** VLDB Endowment

Full text available: [pdf\(945.45 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

PageRank-style (PR) link analyses are a cornerstone of Web search engines and Web mining, but are computationally expensive. Recently, various techniques have been proposed for speeding up these analyses by distributing the link graph among multiple sites. However, none of these advanced methods is suitable for a fully decentralized PR computation in a peer-to-peer (P2P) network with autonomous peers, where each peer can independently crawl Web fragments according to the user's thematic interest ...

**3** [Educational aspects of digital libraries: How geography professors select materials for class lectures: implications for the design of digital libraries](#)



Christine L. Borgman, Gregory H. Leazer, Anne Gilliland-Swetland, Kelli Millwood, Leslie Champeny Finley, Laura J. Smart

June 2004 **Proceedings of the 4th ACM/IEEE-CS joint conference on Digital libraries JCDL**

**Publisher:** ACM Press

Full text available: [pdf\(231.32 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#), [index terms](#)

A goal of the Alexandria Digital Earth Prototype (ADEPT) project is to make primary resources in geography useful for undergraduate instruction in ways that will promote inquiry learning. The project's education and evaluation team interviewed professors about their use of geography information in preparing for class lectures, as compared to their research activities. We found that professors


desired the ability to search by concept (erosion, continental drift, etc ) as well as geographic locatio ...

**Keywords:** digital libraries, digital library design, educational aspects of digital libraries, geogra information seeking behavior, user analysis

4 Interacting with mobile services: an evaluation of camera-phones and visual tags

Eleanor Toye, Richard Sharp, Anil Madhavapeddy, David Scott, Eben Upton, Alan Blackwell  
January 2007 **Personal and Ubiquitous Computing**, Volume 11 Issue 2

**Publisher:** Springer-Verlag

Full text available:  pdf(362.99 KB)

Additional Information: [full citation](#), [abstract](#)

We present a study of using camera-phones and visual-tags to access mobile services. Firstly, a *experience study* is described in which participants were both observed learning to interact with prototype mobile service and interviewed about their experiences. Secondly, a *pointing-device* presented in which quantitative data was gathered regarding the speed and accuracy with which participants aimed and clicked on visual-tags using camera-phones. We found that participa ...


5 Manipulating space: Collapse-to-zoom: viewing web pages on small screen devices by interactively removing irrelevant content



Patrick Baudisch, Xing Xie, Chong Wang, Wei-Ying Ma

October 2004 **Proceedings of the 17th annual ACM symposium on User interface software & technology UIST '04**

**Publisher:** ACM Press

Full text available:  pdf(702.63 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#), [index term](#)


Overview visualizations for small-screen web browsers were designed to provide users with visu context and to allow them to rapidly zoom in on tiles of relevant content. Given that content in overview is reduced, however, users are often unable to tell which tiles hold the relevant materi which can force them to adopt a time-consuming hunt-and-peck strategy. Collapse-to-zoom add this issue by offering an alternative exploration strategy. In addition to allowing users to zoom i

**Keywords:** PDA, collapse-to-zoom, gesture, marquee menu, overview, pen, small screen devic browsing

6 Adapting multimedia for diverse student learning styles

Glenn D. Blank, Soma Roy, Shreeram Sahasrabudhe, William M. Pottenger, G. Drew Kessler  
February 2003 **Journal of Computing Sciences in Colleges**, Volume 18 Issue 3

**Publisher:** Consortium for Computing Sciences in Colleges

Full text available:  pdf(219.49 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Multimedia can accommodate diverse learning styles. By giving students different ways to learn material, we hope to attract more novices, especially women and minorities, to computer scienc designed a user interface that is independent of both book metaphors and familiar web browser supplies sound and animation for sensory learners, while letting verbal learners disable sound o switch altogether to a JUST THE FACTS mode. Interactive materials include learner-controlled simulations of ...


7 Navigation and interaction: ShowMotion: camera motion based 3D design review



Nicolas Burtnyk, Azam Khan, George Fitzmaurice, Gordon Kurtenbach

March 2006 **Proceedings of the 2006 symposium on Interactive 3D graphics and games I3**

**Publisher:** ACM Press

Full text available:  pdf(404.38 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We describe a new interactive system for 3D design review, built to exploit the visual perception of motion parallax, in order to enhance shape perception and aesthetic evaluation. Traditional C applications typically use "bookmarked" static views for design evaluation. In our system, we re static views with moving "shots" interspersed with cinematic visual transitions. Furthermore, us access shots by picking object features on the 3D model, which invokes a spatial search over ...

**Keywords:** 3D navigation, 3D viewers, 3D visualization, camera controls, design review, intera techniques

8 Display: Improving revisitation in fisheye views with visit wear



Amy Skopik, Carl Gutwin

April 2005 **Proceedings of the SIGCHI conference on Human factors in computing system '05**

**Publisher:** ACM Press

Full text available: pdf(523.18 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#), [index term](#)

The distortion caused by an interactive fisheye lens can make it difficult for people to remember and locations in the data space. In this paper we introduce the idea of visit wear - a visual representation of the places that the user has previously visited - as a way to improve navigatic spaces affected by distortion. We outline the design dimensions of visit wear, and report on two studies. The first shows that increasing the distortion of a fisheye view does significantly reduce

**Keywords:** edit wear, fisheye usability, fisheye views, focus+context techniques, memorability spatial memory, visit wear

9 Usability testing with screen reading technology in a Windows environment



Kitch Barnicle

November 2000 **Proceedings on the 2000 conference on Universal Usability CUU '00**

**Publisher:** ACM Press

Full text available: pdf(912.14 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#), [index term](#)

Ever since applications with graphical user interfaces were introduced, individuals who are blind experienced great difficulty accessing these applications. The quality of access provided through combination of screen reading software and speech synthesizer is greatly dependent on the des the mainstream application interface. In attempt to better understand the access strategies em by users of screen readers, this study was designed to (a) examine the interaction between us .

**Keywords:** GUI, blindness, disability, screen reader

10 Experiences using a collaborative electronic textbook: bringing the "guide on the side" hor you



Ryan McFall, Herbert Dershem, Darcy Davis

March 2006 **ACM SIGCSE Bulletin , Proceedings of the 37th SIGCSE technical symposium o Computer science education SIGCSE '06**, Volume 38 Issue 1

**Publisher:** ACM Press

Full text available: pdf(83.25 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Much has been made of the transition of the instructor's role from "Sage on the Stage" to "Guid the Side", focusing on active and collaborative learning in the classroom. The process of acquiri knowledge from textbooks has largely remained unaffected by this transition. Our work on elect textbooks (e-textbooks) has focused on building e-textbooks that extend the reach of collaboral and active learning techniques to the reading process. This paper describes the outcomes of usi our ...

**Keywords:** active reading, electronic textbooks

11 Web Behavior Patterns: How knowledge workers use the web



Abigail J. Sellen, Rachel Murphy, Kate L. Shaw

April 2002 **Proceedings of the SIGCHI conference on Human factors in computing system  
Changing our world, changing ourselves CHI '02**

**Publisher:** ACM Press

Full text available: pdf(425.34 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#)s, [index term](#)s

We report on a diary study of how and why knowledge workers use the World Wide Web. By examining in detail a complete two-day set of Web activities from each of 24 people, we construct a framework with which to describe the different tasks knowledge workers undertake. By looking at the characteristics of each type of activity, we can see how certain activities are unsuited to particular kinds of technologies (e.g., mobile devices); how Web tools might be incrementally improved; and how we might ...

**Keywords:** World Wide Web, appliances, diary study, knowledge workers, mobile technology, taxonomy

12 Personal information management: To have and to hold: exploring the personal archive



Joseph 'Jofish' Kaye, Janet Vertesi, Shari Avery, Allan Dafoe, Shay David, Lisa Onaga, Ivan Rosero, Trevor Pinch

April 2006 **Proceedings of the SIGCHI conference on Human Factors in computing system  
'06**

**Publisher:** ACM Press

Full text available: pdf(761.50 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The personal archive is not only about efficient storage and retrieval of information. This paper describes a study of forty-eight academics and the techniques and tools they use to manage the digital and material archiving of papers, emails, documents, internet bookmarks, correspondence, and other artifacts. We present two sets of results: we first discuss rationales behind subjects' archiving practices which go beyond information retrieval to include creating a legacy, sharing resources, confronting

**Keywords:** archiving, bookmarks, email, ethnography, filing, identity

13 Visualization: Improving list revisitation with ListMaps



Carl Gutwin, Andy Cockburn

May 2006 **Proceedings of the working conference on Advanced visual interfaces AVI '06**

**Publisher:** ACM Press

Full text available: pdf(348.58 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Selecting items from lists is a common task in many applications. Alphabetically-sorted listboxes are the most common interface widget used to accomplish this selection, but although general they are slow and frustrating to use, particularly when the lists are long. In addition, when the user regularly revisits a small set of items, listboxes provide little support for increased performance through experience. To address these shortcomings, we developed a new list selection device called a Li

**Keywords:** list selection, listboxes, listmaps, revisitation

14 Accessing hyperdocuments through interactive dynamic maps

Mountaz Zizi, Michel Beaudouin-Lafon

September 1994 **Proceedings of the 1994 ACM European conference on Hypermedia techno**

## ECHT '94



**Publisher:** ACM Press

Full text available: pdf(1.39 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index term](#)

We propose a new navigation paradigm based on a spatial metaphor to help users access and navigate within large sets of documents. This metaphor is implemented by a computer artifact called an Interactive Dynamic Map (IDM). An IDM plays a role similar to the role of a real map with respect to physical space. Two types of IDMs are computed from the documents: Topic IDMs represent the semantic contents of a set of documents while Document IDMs visualize a subset of documents

**Keywords:** information retrieval, interaction paradigm, maps, navigation, visualization

### 15 Capturing, structuring, and representing ubiquitous audio



Debby Hindus, Chris Schmandt, Chris Horner

October 1993 **ACM Transactions on Information Systems (TOIS)**, Volume 11 Issue 4

**Publisher:** ACM Press

Full text available: pdf(1.78 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index term](#)

Although talking is an integral part of collaboration, there has been little computer support for acquiring and accessing the contents of conversations. Our approach has focused on ubiquitous or the unobtrusive capture of speech interactions in everyday work environments. Speech recognition technology cannot yet transcribe fluent conversational speech, so the words themselves are not available for organizing the captured interactions. Instead, the structure of an interaction ...

**Keywords:** audio interactions, collaborative work, multimedia workstation software, semi-structured data, software telephony, stored speech, ubiquitous computing

### 16 Extending to multidimensional interfaces: 3Book: a 3D electronic smart book



Stuart K. Card, Lichan Hong, Jock D. Mackinlay, Ed H. Chi

May 2004 **Proceedings of the working conference on Advanced visual interfaces AVI '04**

**Publisher:** ACM Press

Full text available: pdf(383.44 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index term](#)

This paper describes the 3Book, a 3D interactive visualization of a codex book as a component of various digital library and sensemaking systems. The book is designed to hold large books and to support sensemaking operations by readers. The book includes methods in which the automatic semantic analysis of the book's content is used to dynamically tailor access.

**Keywords:** 3D UI, 3D books, eBooks, electronic publishing, sensemaking, spreading activation

### 17 The Compressor: concurrent, incremental, and parallel compaction



Haim Kermany, Erez Petrank

June 2006 **ACM SIGPLAN Notices , Proceedings of the 2006 ACM SIGPLAN conference on Programming language design and implementation PLDI '06**, Volume 41 Issue 6

**Publisher:** ACM Press

Full text available: pdf(483.26 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The widely used Mark-and-Sweep garbage collector has a drawback in that it does not move objects during collection. As a result, large long-running realistic applications, such as Web application servers, frequently face the fragmentation problem. To eliminate fragmentation, a heap compaction run periodically. However, compaction typically imposes very long undesirable pauses in the application. While efficient concurrent collectors are ubiquitous in production runtime systems (e.g., JVMs), ...

**Keywords:** compaction, concurrent garbage collection, garbage collection, memory manageme  
runtime systems

18 Photo sharing: Give and take: a study of consumer photo-sharing culture and practice



Andrew D. Miller, W. Keith Edwards

April 2007 **Proceedings of the SIGCHI conference on Human factors in computing system '07**

**Publisher:** ACM Press

Full text available: pdf(669.52 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we present initial findings from the study of a digital photo-sharing website: Flickr. In particular, we argue that Flickr.com appears to support-for some people-a different set of photography practices, socialization styles, and perspectives on privacy that are unlike those de in previous research on consumer and amateur photographers. Further, through our examinatic digital photographers' photowork activities-organizing, finding, sharing and receiving-we sugges

**Keywords:** consumer photography, digital photography, domestic and leisure computing, medi sharing, photowork

19 Disabilities: Remote usability evaluations With disabled people



Helen Petrie, Fraser Hamilton, Neil King, Pete Pavan

April 2006 **Proceedings of the SIGCHI conference on Human Factors in computing system '06**

**Publisher:** ACM Press

Full text available: pdf(461.18 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Finding participants for evaluations with specific demographics can be a problem for usability ar experience specialists. In particular, finding participants with disabilities is especially problemati testing with disabled people is becoming increasingly important. Two case studies are presentec explore using asynchronous remote evaluation techniques with disabled participants. These sho while quantitative data are comparable, the amount and richness of qualitative data ar ...

**Keywords:** disabled users, remote evaluation, usability research, usability testing and evaluati

20 Reading alone together: creating sociable digital library books



Nancy Kaplan, Yoram Chisik

June 2005 **Proceeding of the 2005 conference on Interaction design and children IDC '05**

**Publisher:** ACM Press

Full text available: pdf(462.51 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Children between 10 and 14 years old continue to need support to develop advanced literacy sk there is evidence that they may be reading less now. Libraries have long sought to cater to you adults but as more activities vie for the attention of children, the role of traditional libraries in tl literacy lives of teens and 'tweens may be diminishing. As Digital Libraries (DLs) begin to offer resources to children in this age cohort, it is important that they support more than convenient

**Keywords:** children, digital annotations, digital libraries, participatory design, sociable literacy



Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

searching bookmarks sets +server +bookmarks +sets clients b



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction su](#)

Terms used

[searching](#) [bookmarks](#) [sets](#) [server](#) [bookmarks](#) [sets](#) [clients](#) [bookmarks](#) [sets](#) [matching](#) [highlighting](#) [results](#) [UF](#)

Sort results by relevance ☐



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results expanded form ☐



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 21 - 32 of 32

Result page: [previous](#) [1](#) [2](#)

Relevance scale ☐

21 [Fluid interaction techniques for the control and annotation of digital video](#)



Gonzalo Ramos, Ravin Balakrishnan

November 2003 **Proceedings of the 16th annual ACM symposium on User interface software and technology UIST '03**

Publisher: ACM Press

Full text available: pdf(3.03 MB)

[wmv\(5:20 MIN\)](#) [mov](#)

(5:20 MIN)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

We explore a variety of interaction and visualization techniques for fluid navigation, segmentation, linking, and annotation of digital videos. These techniques are developed within a concept prototype called *LEAN* that is designed for use with pressure-sensitive digitizer tablets. These techniques include a transient position+velocity widget that allows users not only to move around point of interest on a video, but also to rewind or fast forward at a controlled variable speed. We also ...

**Keywords:** annotations, fluid interaction techniques, pen-based interfaces, video

22 [Technology-driven documentation in the pharmaceutical industry](#)



Stephen A. Bernhardt

November 1995 **ACM SIGDOC Asterisk Journal of Computer Documentation**, Volume 19 Issue 4

Publisher: ACM Press

Full text available: pdf(550.36 KB)

Additional Information: [full citation](#), [index terms](#)

23 [Product, process, and profit: the politics of usability in a software venture](#)



Barbara Mirel

November 2000 **ACM Journal of Computer Documentation (JCD)**, Volume 24 Issue 4

Publisher: ACM Press

Full text available: pdf(702.83 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

In research and in practice, usability specialists commonly target the technology user-interfaces help as the main arena for bringing about usability improvements. However, usability improvements depend on more than innovative and user-centered technical designs and implementations. Equally important for creating useful and usable software are the social and political forces that shape the development context. These forces give rise to leadership conflict

factional disputes, renegade e ...

**Keywords:** goal conflict, political support, sociology, usability

24 re-View: an IV toolkit for extracting and relating dynamic views



Ryan C. Yates, Janet L. Wesson

October 2006 **Proceedings of the 2006 annual research conference of the South African institute of computer scientists and information technologists on IT research developing countries SAICSIT '06**

**Publisher:** ACM Press

Full text available: pdf(531.87 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Most information visualisation (IV) tools that are currently used do not support two of Shneiderman's seven interaction tasks for IV, namely the Extract and Relate tasks. These tasks provide support for the saving, loading and comparison of dynamic views. This paper describes design of an IV framework that provides support for these tasks, by including two additional interaction techniques, namely Bookmarking and Coordinated Filtering. This framework was implemented as an IV toolkit, called ...

**Keywords:** IV frameworks, IV toolkits, information visualization (IV), interaction techniques

25 Contributions: focus: new visualization techniques: Visualizing multi-dimensional data



Stephen G. Eick

February 2000 **ACM SIGGRAPH Computer Graphics**, Volume 34 Issue 1

**Publisher:** ACM Press

Full text available: pdf(1.92 MB)

Additional Information: [full citation](#), [references](#), [citations](#)

26 Realizing the promise of visualization in the theory of computing



Joshua J. Cogliati, Frances W. Goosey, Michael T. Grinder, Bradley A. Pascoe, Rockford J. ROSS, Cheston J. Williams

June 2005 **Journal on Educational Resources in Computing (JERIC)**, Volume 5 Issue 2

**Publisher:** ACM Press

Full text available: pdf(2.02 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Progress on a hypertextbook on the theory of computing is presented. The hypertextbook is a novel teaching and learning resource built around web technologies that incorporates text, sound, pictures, illustrations, slide shows, video clips, and---most importantly---active learning models the key concepts of the theory of computing into an integrated resource. Active learning models currently exist for finite state automata, regular expressions, regular grammars, the pumping lemma for regular ...

**Keywords:** Computer science education, active learning, finite state automata, hypertextbook, learning applets, regular expressions, regular grammars, regular languages, theory of computing

27 Separable hyperstructure and delayed link binding



David F. Brailsford

December 1999 **ACM Computing Surveys (CSUR)**

**Publisher:** ACM Press

Full text available: pdf(38.45 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

28 Hypermedia on the Web: what will it take?



Fabio Vitali, Michael Bieber

December 1999 **ACM Computing Surveys (CSUR)**

**Publisher:** ACM Press

Full text available: pdf(30.72 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** World Wide Web, browsers, hypermedia, hypertext, hypertext functionality, link attributes, linkbases

29 Improving interaction: On electronic annotation and its implementation



Daniela Fogli, Giuseppe Fresta, Piero Mussio

May 2004 **Proceedings of the working conference on Advanced visual interfaces AVI '04**

**Publisher:** ACM Press

Full text available: pdf(268.27 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Electronic document and electronic annotation evolve and complement the traditional document and annotation in recording, developing and making available community knowledge. This paper discusses electronic annotation and its importance as a tool for two way exchange of ideas among humans pursuing a common goal. The discussion is performed by presenting an example in the Earth science field.

**Keywords:** characteristic structure, electronic annotation, electronic document, virtual entity

30 Technology in the home: Exploring technology adoption and use through the lens of residential mobility



Irina A. Shklovski, Scott D. Mainwaring

April 2005 **Proceedings of the SIGCHI conference on Human factors in computing systems: CHI '05**

**Publisher:** ACM Press

Full text available: pdf(310.44 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

One of the outcomes of massive adoption of technology is that much of daily technology use and consumption is embedded into "unremarkable" daily life routines. Occasionally, these routines undergo major shifts, often in conjunction with major life events such as marriage, birth of a child or a residential move. We propose a model of settling into a new location as a function of balance between the pull of the things left behind and the demands of the new and unknown. It is through this experience ...

**Keywords:** behavioral science, ethnography, residential mobility, social relationships, technology adoption

31 Beyond source code: Using evolutionary annotations from change logs to enhance program comprehension



Daniel M. German, Peter C. Rigby, Margaret-Anne Storey

May 2006 **Proceedings of the 2006 international workshop on Mining software repositories MSR '06**

**Publisher:** ACM Press

Full text available: pdf(442.57 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Evolutionary annotations are descriptions of how source code evolves over time. Typical source

comments, given their static nature, are usually inadequate for describing how a program has evolved over time; instead, source code comments are typically a description of what a program currently does. We propose the use of evolutionary annotations as a way of describing the ratio behind changes applied to a given program (for example "These lines were added to ..."). Evolutionary annotations can ...

**Keywords:** annotations, evolutionary, mining software repositories, software evolution, versior control

32 Columns: Public policy: domain names, digital television, CFP2000, ACM book on intellect property and third on-line survey



Bob Ellis

February 2000 **ACM SIGGRAPH Computer Graphics**, Volume 34 Issue 1

**Publisher:** ACM Press

Full text available: pdf(558.68 KB)

Additional Information: [full citation](#)

Results 21 - 32 of 32

Result page: [previous](#) [1](#) [2](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

6/18/2007

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1337	715/500.1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 09:38
L2	2	1 & server & client & (bookmark near3 media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 09:51
L3	2	("20040205501").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 09:43
L4	1543	(715/501.1).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 09:43
L5	5	4 & server & client & (bookmark near3 media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 09:49
L6	23	("5642503" "5809250" "5917491" "5935210" "6037934" "6096096" "6243071" "6321228" "6324566" "6330007" "6427175" "6460038").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 09:50
L7	7	6 & server & client & bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 09:57

6/18/07

## EAST Search History

L8	0	6 & server & client & bookmark\$1 same (duplicat\$3 same repeat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 09:59
L9	0	6 & server & client & (bookmark\$1 same (duplicat\$3 same repeat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 09:59
L10	1	6 & server & client & (bookmark\$1 same (duplicat\$3 repeat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:00
L11	151	(updat\$3 same bookmark\$1 same set\$1) & server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:17
L12	98	(updat\$3 same bookmark\$1 same set\$1) & server & client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:17
L13	12	12 & (highlight\$3 same URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:31
L14	4	(matching same (bookmark\$1 near3 set\$1)) & highlight\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:44


## EAST Search History

L15	0	14 & compar\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:38
L16	4	(compar\$3 same (bookmark\$1 near3 set\$1)) & highlight\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:39
L17	17	(matching same (bookmark\$1 near3 set\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:46
L18	17	(server near3 (bookmark\$1 near3 set\$1)) & (browser near3 (bookmark\$1 near3 set\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:48
L19	6	("6405222").URPN.	USPAT	OR	ON	2007/06/18 10:50
L20	24	4 & (bookmark\$1 near3 set\$1)	USPAT	OR	ON	2007/06/18 11:03
L21	25	(compar\$3 match\$3) same (bookmark\$1 near3 set\$1)	USPAT	OR	ON	2007/06/18 11:08
L22	0	(bookmark\$1 near3 set\$1) & (preventing same duplicating)	USPAT	OR	ON	2007/06/18 11:09
L23	24	(bookmark\$1 near3 set\$1) & (search\$3 same highligh\$3 same result\$3)	USPAT	OR	ON	2007/06/18 11:17
L24	18	23 & (@ad<"20011129" @rlad<"20011129")	USPAT	OR	ON	2007/06/18 11:16
L25	14	"6460038"	USPAT	OR	ON	2007/06/18 11:16
L26	9	(US-20040205501-\$).did. or (US-6460038-\$ or US-6096096-\$ or US-6243071-\$ or US-6324566-\$ or US-6321228-\$ or US-6037934-\$ or US-6032162-\$ or US-7031961-\$). did.	US-PGPUB; USPAT	OR	ON	2007/06/18 11:16
L27	4	26 & (highligh\$3 )	USPAT	OR	ON	2007/06/18 12:15



## EAST Search History

L28	2	("0631423").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 11:26
L29	2	("6314423").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 11:58
L30	2	("6631496").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 11:58
L31	10	(US-20040205501-\$).did. or (US-6460038-\$ or US-6096096-\$ or US-6243071-\$ or US-6324566-\$ or US-6321228-\$ or US-6037934-\$ or US-6032162-\$ or US-7031961-\$ or US-6631496-\$).did.	US-PGPUB; USPAT	OR	ON	2007/06/18 12:14
L32	4	31 & (highligh\$3 )	USPAT	OR	ON	2007/06/18 12:24
L33	3	(highligh\$3 ) same (shar\$3 near3 bookmark\$1)	USPAT	OR	ON	2007/06/18 12:25

  
6/18/07